

# **Historic, Archive Document**


Do not assume content reflects current scientific knowledge, policies, or practices.



2.39

Dup?

FALL, 1903



## Wholesale Trade List

.. OF ..

# SOUTHWICK NURSERIES

### LOCATION.

I am situated on the line of the New Haven & Northampton division of the N. Y., N. H. & H. R. R., 5 miles south of Westfield, Mass., junction of the Boston & Albany R. R.; 100 miles west of Boston, and 100 miles north of New York.

Goods by express reach New York within five hours after shipment, and the cost of carriage to all points from here is comparatively light. Freight goes through to New York without change.

### TERMS.

Prices are in American money. 5 at 10 rates, 50 at 100 rates, 500 at 1,000 rates. Packing at cost.

One dollar is equal in value to a trifle more than four English shillings, four German marks, or five francs.

All bills will be due upon receipt of goods, unless by special agreements. Unknown parties should give good references.

Remit by draft on New York, or by Post Office Order on Southwick, Mass. *Foreign Remittances by International Post Office Orders on Westfield, Mass.*

The packing season commences as soon as the plants can be got at in spring, about April 10, and lasts about six weeks, and in autumn as soon as the plants are ripe, mostly from September until December.

Address all communications to

**EDWARD GILLETT,**

SOUTHWICK, MASS., U. S. A.

### CONTENTS.

	Page
Deciduous Trees and Shrubs, . . . . .	2
Evergreen Trees and Shrubs, . . . . .	6
Vines and Creepers, . . . . .	7
Herbaceous Perennials, . . . . .	8
Bog and Aquatic Plants, . . . . .	12
Orchids, . . . . .	13
Ferns, . . . . .	14
Club Mosses, . . . . .	15
Special Collection of Ferns, . . . . .	16

COMMONWEALTH OF MASSACHUSETTS.

STATE BOARD OF AGRICULTURE.

OFFICIAL CERTIFICATE No. 1.

Boston, Aug. 3, 1903.

TO WHOM IT MAY CONCERN:

THIS IS TO CERTIFY that I have this 3d day of August, 1903, completed the inspection of the nursery stock of Edward Gillett, grown at Southwick, State of Massachusetts, and find it to be apparently free from the San Jose Scale and other injurious insects and diseases which might be transferred on nursery stock from the nursery to the orchard or garden.

This certificate is good until July 1, 1904.

(Signed)

H. T. FERNALD, Inspector.

Inspected by Deputy H. E. HODGKISS.

**EDWARD GILLETT,**

Southwick, Mass., U. S. A.

Long Distance Telephone.

# Deciduous Trees and Shrubs.

Nursery Grown Stock, except where noted.

Coll. signifies collected plants. S, seedlings in seed bed.

	10	100	1,000
<b>ACER Pennsylvanicum</b> (Striped Maple)—			
3 ft., . . . . .	\$1 50		
2 to 3 ft. Coll., . . . . .	75	\$4 00	
<b>saccharinum</b> (Sugar Maple)—			
5 to 6 ft., . . . . .	1 50		
10 to 12 ft., . . . . .	3 50		
<b>spicatum</b> (Mountain Maple)—			
2 to 3 ft., . . . . .	1 25	6 00	
<b>ALTHÆA</b> (Shrubby Hibiscus, or Rose of Sharon)—			
<b>cœlestis.</b> Single blue, . . . . .	1 00		
<b>Jeanne d'Arc.</b> Double blue, . . . . .	1 00		
<b>rubra plena.</b> Double, clear red-flowered;			
1 ft., . . . . .	1 00		
<b>totus albus.</b> Single, pure white flowered;			
1 ft., . . . . .	1 00		
<b>AMELANCHIER Canadensis</b> (Shadbush)—			
1½ to 2 ft., . . . . .	1 25	6 00	
<b>ARALIA pentaphylla.</b> 2 to 3 ft., . . . . .	1 50		
<b>AZALEA arborescens</b> —			
8 to 12 in., . . . . .	2 00		
1 to 1½ ft., . . . . .	3 00		
<b>calendulacea</b> (Flame-colored Azalea)—			
8 to 12 in., . . . . .	1 25	6 00	
1 to 1½ ft., . . . . .	1 50	12 00	
1½ to 2 ft., . . . . .	2 00		
<b>mollis.</b> 1 ft., . . . . .	1 00	6 00	
<b>nudiflora</b> (Purple Azalea)—			
8 to 12 in. X, . . . . .	1 00	6 00	
1 to 1½ ft., . . . . .	1 50		
<b>Pontica.</b> 6 in., . . . . .	1 00	5 00	
<b>Vaseyi.</b> Light pink—			
6 to 12 in., . . . . .	1 25	7 00	
1 to 1½ ft.; well budded, . . . . .	1 50		
<b>viscosa</b> —			
1 ft., . . . . .	1 25	6 00	
1 to 1½ ft.; well budded, . . . . .	1 50	8 00	
1½ to 2 ft., . . . . .	2 00	10 00	
2 to 3 ft., . . . . .	2 50		
<b>BERBERIS purpurea</b> (Purple Barberry)—			
1 to 1½ ft., . . . . .	75	3 00	
<b>Thunbergi.</b> 1 ft., . . . . .	75	4 00	
<b>vulgaris</b> —			
1½ ft., . . . . .	75	4 00	
1½ to 2 ft., . . . . .	1 25		
<b>BETULA papyracea</b> (Paper, or Canoe Birch)—			
2 to 3 ft., . . . . .	1 25	6 00	
5 to 6 ft.; X, . . . . .	1 50		
<b>lenta</b> (Yellow Birch). 3 ft., . . . . .	1 50		

	10	100	1,000
<b>BETULA alba populifolia</b> (American White Birch)—			
2 to 3 ft. Coll., . . . . .	75	3 00	
<b>CEANOTHUS Americanus</b> (New Jersey Tea), . . . . .	1 00	5 00	
<b>CEPHALANTHUS occidentalis</b> (Button Bush). 2 ft., . . . . .	1 25	7 00	
<b>CERCIS Canadensis</b> . 1½ to 2 ft., . . . . .	1 25		
<b>CHIONANTHES virginica</b> . 2 ft., . . . . .	1 50		
<b>CLETHRA alnifolia</b> (Sweet Pepper Bush)—			
1½ ft., . . . . .	\$0 75	\$4 00	
1½ to 2 ft.; X, . . . . .	1 25	6 00	
<b>COMPTONIA asplenifolia</b> (Sweet Fern). Coll., . . . . .	50	3 00	\$15 00
<b>CORNUS alternifolia</b> . 2 to 4 ft.; good roots. Coll., . . . . .	2 00	4 00	
<b>circinata</b> . 2 ft., . . . . .	1 50		
<b>florida</b> . 2 to 3 ft., . . . . .	1 50	7 00	
<b>Mas</b> (Cornelian Cherry). 2 to 3 ft., . . . . .	1 25	7 00	
<b>paniculata</b> —			
1 ft., . . . . .	1 00	5 00	
1 to 1½ ft., . . . . .	1 25	6 00	
1½ to 2 ft.; X, . . . . .	2 00	10 00	
2 to 3 ft.; X, . . . . .	2 50		
<b>sericea</b> . 2 to 3 ft., . . . . .	1 25	5 00	
<b>stolonifera</b> —			
1 ft. cuttings, . . . . .		2 50	
1 to 2 ft., . . . . .	75	4 00	
2 to 3 ft., . . . . .	1 25	6 00	
3 to 4 ft., . . . . .	1 50	8 00	
<b>variegata</b> (Golden). 1½ ft., . . . . .	2 50		
<b>CORYLUS Americanus</b> (Wild Hazelnut). 2 ft. Coll., . . . . .	75	4 00	
<b>CRATÆGUS coccinea</b> . 2 ft., . . . . .	1 50		
<b>CYDONIA Japonica</b> . 1½ ft., . . . . .	1 00	5 00	
<b>DEUTZIA crenata</b> . 2 ft.; bushy, . . . . .	1 25	5 00	
<b>DIERVILLA trifida</b> (Bush Honeysuckle). 1 to 1½ ft., . . . . .	1 00	5 00	
<b>DIRCA palustris</b> (Leatherwood). 8 to 12 in., . . . . .	1 00		
<b>EUONYMUS Americanus</b> , var. <b>obovatus</b> , . . . . .	1 00	5 00	
<b>atropurpurea</b> (Burning Bush). 1 to 2 ft., . . . . .	1 50	8 00	
<b>radicans</b> . 8 to 12 in.; 2 yrs., . . . . .	1 00	5 00	
<b>variegata</b> . Golden striped leaves;			
8 in., . . . . .	75	4 00	
<b>FORSYTHIA viridissima</b> . 3 ft., . . . . .	1 50		
<b>GAYLUSSACIA frondosa</b> (Dangleberry). 6 to 12 in., . . . . .	1 00	6 00	
<b>resinosa</b> (Black Huckleberry)—			
8 to 12 in., . . . . .	1 25	6 00	
<b>HAMAMELIS Virginica</b> (Witch-Hazel)—			
1 to 2 ft., . . . . .	1 50	8 00	
2 to 3 ft., . . . . .	2 00	12 00	
3 to 4 ft., . . . . .	3 00	18 00	
<b>HYDRANGEA arborescens</b> (Wild Hydrangea). 2 ft., . . . . .	1 25	6 00	
<b>radiata</b> . 1½ ft., . . . . .	1 00	5 00	
<b>paniculata</b> . 2 to 3 ft., . . . . .	1 25	6 00	
<b>grandiflora</b> . 1½ to 2 ft., . . . . .	1 25	7 00	
<b>ILEX glabra</b> . 1 ft. XX, . . . . .	1 50		
<b>verticillata</b> —			
1 to 1½ ft., . . . . .	1 00	5 00	

	10	100	1,000
<b>ILEX verticillata</b> —			
1½ to 2 ft. X,	\$1 25	\$7 00	
2 to 3 ft. XX,	2 00		
<b>JUGLANS nigra</b> (Black Walnut). 2 ft.; seedlings,	50	2 50	
<b>LAURUS Benzoin</b> (Spice Bush)—			
1½ to 2 ft.,	1 25	6 00	
2 to 3 ft.,	2 00		
<b>LIGUSTRUM ovalifolium</b> (California Privet)—			
1 to 1½ ft.,	\$0 50	\$2 00	
2 ft.,	75	3 00	
<b>vulgare</b> (Common Privet). 2½ ft.,	1 00	5 00	
<b>LIRIODENDRON tulipifera</b> (Tulip-tree). 4 to 5 ft.,	1 50		
<b>LONICERA ciliata</b> (Fly Honeysuckle). 1 ft.,	1 25		
<b>LYCIUM vulgare</b> . 1 to 2 ft.,	1 00	5 00	
<b>MYRICA cerifera</b> (Bayberry)—			
Seedlings,		2 00	\$12 00
8 to 12 in.; trans.,	1 00	5 00	
1 to 1½ ft.; bushy,	1 50	7 00	
<b>gale</b> (Sweet Gale). 1 to 2 ft.; X,	1 50	7 00	
<b>NEMOPANTHES Canadensis</b> (Mountain Holly)—			
1 ft.,	1 50	7 00	
<b>PHILADELPHUS coronarius</b> (Mock Orange)—			
2 ft.,	1 25		
<b>grandiflorus</b> . 2 ft.,	1 25		
<b>POTENTILLA fruticosa</b> . 1½ to 2 ft.,	1 00		
<b>PRUNUS pumila</b> (Dwarf Cherry). 1 to 2 ft. Coll.,	1 00		
<b>maritima</b> (Beech Plum). 3 ft.,	1 50		
<b>PYRUS arbutifolius</b> . 1 to 1½ ft.; X,	1 50	5 00	
<b>QUERCUS alba</b> (White Oak). 5 ft.; trans.,	3 00		
<b>bicolor</b> (Swamp White Oak). 6 ft.; trans.,	3 00		
<b>coccinea</b> (Scarlet Oak). 7 ft.; trans.,	3 50		
<b>ilicifolia</b> (Black Scrub Oak). 2 ft.; trans.,	1 50		
<b>nigra</b> (Black Jack). 1½ ft.; trans.,	1 50		
<b>palustris</b> (Pin Oak). 3 to 4 ft.,	1 50	8 00	
<b>prinus</b> (Chestnut Oak). 6 ft.,	3 50		
<b>rubra</b> (Red Oak). 1½ to 2 ft.; trans.,	1 00	5 00	
<b>RHAMNUS alnifolius</b> . 1 to 2 ft. Coll.,	75	4 00	
<b>RHODORA Canadensis</b> . 1 ft.; XX,	1 25	5 00	
<b>RHUS aromatica</b> (Fragrant Sumach)—			
8 in.; seedlings,	75	3 00	
8 to 12 in.,	1 25	5 00	
<b>cotinus</b> . 3 ft.,	1 50		
<b>copallina</b> (Dwarf Sumach). 1 ft. Coll.,	75	3 00	15 00
<b>glabra</b> (Smooth Sumach)—			
2 to 3 ft. Coll.,	75	3 00	15 00
2 to 3 ft.; trans.,	1 50	6 00	
<b>typhina</b> (Staghorn Sumach)—			
Coll.,	75	3 00	15 00
3 to 4 ft.,	1 50	6 00	
<b>RIBES cynosbati</b> (Wild Gooseberry). 2 ft.; fine,	1 25	6 00	
<b>aureum</b> . 2 ft. (yellow),	1 00	5 00	
<b>floridum</b> (Wild Black Currant). 2 to 3 ft.,	1 25	5 00	

	10	100	1,000
<b>RIBES prostratum</b> (Fetid Currant). 1 ft. Coll.,	\$0 75	\$3 00	
<b>sanguinium</b> (Red fl.) 2 ft.,	1 25		
<b>ROSA Blanda</b> (Early Wild Rose). 1 to 2 ft.,	1 00	5 00	
<b>Carolina</b> (Swamp Rose). 2 ft.; fine. Coll.,	75	3 00	
<b>lucida</b> (Dwarf Wild Rose) 1 ft.,	1 00	5 00	
<b>alba</b> (Pure White). 1 ft.; X,	2 00		
<b>nitida</b> . 1 ft.; X,	1 50		
<b>rugosa</b> . 1 to 1½ ft.,	1 00	5 00	
1½ to 2 ft.,	1 50	8 00	
<b>alba</b> . 1 ft.,	1 00	5 00	
<b>Crimson Rambler</b> . Fine plants; 2 yrs.,	1 50		
<b>Yellow Rambler</b> (Aglaiia). Double yellow,	1 25		
<b>rubiginosa</b> (English Sweetbrier). 1½ to 2 ft.,	75	4 00	
<b>setigera</b> (Prairie Rose). 1½ ft.,	1 00	5 00	
<b>Wichuraiana</b> (New Hardy Creeping Rose). 1 ft.,	1 00	5 00	
<b>South Orange Perfection</b> (Double White),	1 00		
<b>Manda's Triumph</b> (Clusters of Double White			
Flowers),	1 00		
<b>Universal Favorite</b> (Double Bright Rose			
Flowers),	1 00		
<b>Pink Roamer</b> (Single Pink),	1 00		
<b>RUBUS odoratus</b> (Flowering Raspberry). 2 to 3 ft.,	1 00	5 00	
<b>deliciosus</b> . 1 to 2 ft.; pure white flowers,	1 00	5 00	
<b>occidentalis</b> (Black Raspberry). Coll.,	75	3 00	
<b>strigosus</b> (Red Raspberry). 2 ft. Coll.,	75	3 00	
<b>villosus</b> (High Blackberry). 2 ft. Coll.	1 00		
<b>SAMBUSCUS Canadensis</b> (Common Elder). 2 to 3 ft.,	1 25	6 00	
<b>variegata</b> . 2 ft.,	1 50		
<b>nigra</b> . 2 ft.,	1 00	5 00	
<b>pubens</b> (Red Berried Elder). 2 to 3 ft.,	1 25	6 00	
<b>SPIRÆA Anthony Waterer</b> . 8 to 12 in.,	1 00		
<b>Margaritæ</b> . 1 ft.,	1 25		
<b>opulifolia</b> . 3 ft.,	1 25	6 00	
<b>aurea</b> . 2 ft.,	1 00		
<b>salicifolia</b> . Flesh-colored; 2 to 3 ft.,	1 00	5 00	
<b>Thunbergii</b> . 1½ ft. X,	1 25		
<b>tomentosa</b> (Steeple Bush). 2 ft.,	1 00	4 00	
<b>aurea</b> . 2 ft.,	1 25	5 00	
<b>Van Houttei</b> . 2 ft.,	1 25	5 00	
<b>STAPHYLEA trifolia</b> (Bladder Nut). 2 ft.,	1 00		
<b>SYMPHORICARPUS racemosus</b> . 1½ ft.,	1 00		
var. <b>pauciflorus</b> (Dwarf			
Snowberry),	1 00	4 00	
<b>vulgaris</b> (Indian Currant)—			
2 to 2½ ft.,	1 25	6 00	
<b>SYRINGA Japonica</b> . 1 ft.,	1 00		
<b>vulgaris</b> . 2 ft.,	1 50		
<b>alba</b> . 1 ft.,	1 00		
<b>President Grey</b> . 2 ft.,	1 50		
<b>VACCINIUM Pennsylvanicum</b> (Dwarf Blueberry)—			
X. Coll.,	75	4 00	
<b>vacillans</b> (Low Blueberry). Yellow bark,	1 25	5 00	

	10	100	1,000
<b>VACCINIUM corymbosum</b> (Swamp Blueberry)—			
1 ft., . . . . .	\$1 00	\$5 00	
1 to 1½ ft., X; bushy, . . . . .	2 00		
1½ to 2 ft., XX; bushy, . . . . .	3 00		
2 ft., XXX, . . . . . 50c each			
The last three grades are fine, bushy clumps, all in nursery rows.			
<b>VIBURNUM acerifolium</b> (Maple-leaved Viburnum)—			
1 to 1½ ft., . . . . .	1 25	6 00	
<b>cassinoides</b> —			
1 ft.; X, . . . . .	1 25	5 00	
1 to 1½ ft., . . . . .	1 50	7 00	
1½ to 2 ft., . . . . .	2 00	10 00	
<b>dentatum</b> —			
1 ft., . . . . .	1 00	5 00	
2 ft., . . . . .	1 50	8 00	
2 to 3 ft.; bushy, . . . . .	2 00	10 00	
<b>lantana</b> (Wayfaring Tree). 1 to 2 ft., . . . . .	1 00		
<b>lantanoïdes</b> (Hobble Bush). 1 to 3 ft. Coll. . . . .	75	4 00	
<b>Lentago</b> (Sheepberry)—			
1 to 1½ ft., . . . . .	1 25	6 00	
1½ to 2 ft.; XX, . . . . .	1 50	8 00	
<b>Opulus</b> (Cranberry Tree). 2½ ft. . . . .	1 50		
<b>sterilis</b> (Snowball Tree). 2 to 2½ ft., . . . . .	1 50		
<b>tomentosum</b> . 2 ft., . . . . .	1 50		
<b>pubescens</b> (Downy Arrow-wood). 1 to 1½ ft., . . . . .	1 25	6 00	
<b>prunifolium</b> . 1 to 2 ft.; XX, . . . . .	1 50		
<b>VITIS cordifolia</b> (Frost Grape). 1 ft.; seedlings, . . . . .	75	4 00	
<b>æstivilis</b> . 1 yr. in seed bed, . . . . .	75	4 00	
<b>Labruska</b> . 1 yr. in seed bed, . . . . .	75	4 00	

## Evergreen Trees and Shrubs.

	10	100	1,000
<b>ABIES Englemanni</b> . 2 ft., . . . . . 35c each			
3 ft., . . . . . 60c each			
4 ft., . . . . . 75c each			
<b>Canadensis</b> (Hemlock). 1 to 1½ ft.; XX, . . . . .	1 50		
<b>nigra</b> (Black Spruce). 1 to 2 ft. Coll., . . . . .	75		
<b>ANDROMEDA polyfolia</b> . 1 ft.; wet places. Coll., . . . . .	50	2 00	12 00
<b>CASSANDRA calyculata</b> (Leather Leaf)—			
1 to 2 ft. Coll., . . . . .	50	2 00	12 00
<b>HYPERICUM patulum</b> . . . . .			
6 in., . . . . .	1 00		
<b>JUNIPERUS communis</b> (Prostrate Juniper). 1 ft. Coll., . . . . .	1 00		
<b>prostrata aurea</b> —			
(Golden). 1 to 1½ ft., . . . . .	2 50		
<b>Hibernica</b> (Irish Juniper). 2 to 3 ft., . . . . .	2 00		
<b>Virginiana</b> (Red Cedar). 1 ft. Coll., . . . . .	1 00		
<b>glauca</b> . 2 ft.; XX, . . . . .	5 00		
<b>KALMIA angustifolia</b> (Sheep Laurel). 1 ft. . . . .	1 00	5 00	



	10	100	1,000
<b>KALMIA angustifolia, glauca</b> (Pale Laurel). 1 ft.,	\$1 00	\$5 00	
<b>latifolia</b> (Mt. Laurel)—			
12 to 18 in.; X, . . . . .	3 00		
1½ to 2 ft.; XX, . . . . .	6 00		
<b>LEDUM latifolium</b> (Labrador Tea). 8 to 12 in.,	1 00	5 00	
<b>LEUCOTHOË Catesbæi</b> . 1 ft., . . . . .	1 00	5 00	
<b>MAHONIA aquifolia</b> . 8 to 12 in., . . . . .	1 25	6 00	
<b>PICEA pungens</b> (Col. Blue Spruce)—			
6 in., trans., X, . . . . .	1 00		
<b>PINUS strobus</b> (White Pine). 1 to 1½ ft., . . . . .	1 00	6 00	
<b>RETINOSPORA ericoides</b> —			
2 ft., . . . . .	50c each		
5 ft., . . . . .	\$1.25 each		
<b>plumosa</b> —			
2 ft., . . . . .	50c each		
5 ft., . . . . .	\$1.25 each		
<b>aurea</b> —			
2 ft., . . . . .	50c each		
5 ft., . . . . .	\$1.25 each		
<b>RHODODENDRON maximum</b> (Great Laurel)—			
9 to 12 in., . . . . .	1 00		
1 to 1½ ft.; strong, . . . . .	2 00		
1½ to 2 ft., . . . . .	3 00		
<b>punctatum</b> . 1 ft., . . . . .	1 25		
<b>TAXUS Canadensis</b> (American Yew)—			
8 to 12 in., XX, . . . . .	1 00	5 00	
1 to 2 ft. Coll., . . . . .	50	3 00	\$15 00
<b>THUYA occidentalis</b> (Arborvitæ). 1 to 1½ ft., . . . . .	75		
<b>globosa</b> (Globe arborvitæ). 1½ ft., 25c each			
<b>Ellwangeriana</b> . 2 ft.; strong, . . . . .	3 00		

## Vines and Creepers.

	10	100	1,000
<b>AMPELOPSIS quinquefolia</b> (Virginia Creeper)—			
1 to 2 ft. Coll., . . . . .	75	4 00	
<b>BIGNONIA radicans</b> (Trumpet Creeper), . . . . .	1 00	5 00	
<b>CELASTRUS scandens</b> (Bittersweet). 1 to 2 ft. Coll.,	75	4 00	15 00
<b>CLEMATIS coccinea</b> (Scarlet Clematis). Fine, strong,	1 25	6 00	
<b>crispa</b> . Strong, bluish purple flowers,	1 25	6 00	
<b>paniculata</b> —			
Pure white flowers; strong plants,	1 25		
<b>Virginiana</b> (Virgin's Bower)—			
Strong. Coll., . . . . .	1 00	4 00	
<b>LONICERA brachypoda</b> . 1 ft.; . . . . .	1 00	5 00	
<b>aurea</b> . 1 ft., . . . . .	1 00		
<b>MENISPERMUM Canadense</b> (Canadian Moonseed)—			
Coll., . . . . .	1 00	4 00	
<b>RUBUS hispida</b> (Running Swamp Blackberry). Coll.,	50	2 00	10 00
<b>Canadensis</b> (Low Blackberry). Fine fruit. Coll.,	75	3 00	

## Herbaceous Perennials.

For the most part in the following list of Hardy Herbaceous Perennials, I offer nursery-grown plants. Yet some of the North American Wild Flowers are collected in their native habitat; they are, as a rule, easily transplanted.

1 yr., means transplanted and grown in nursery one year. Coll., collected.

	10	100	1,000
<b>ACHILLEA millefolium roseum,</b>	\$ 075	\$4 00	
<b>The Pearl.</b> Pure white.	75	4 00	
<b>ACTÆA alba</b> (White Baneberry). Coll.,	1 00	5 00	
<b>rubra</b> (Red Baneberry). Nice plants. Coll.,	1 00	5 00	
<b>ALYSSUM saxatile compactum—</b>			
1 yr.,	50	3 00	
2 yrs.,	1 00		
<b>AMARYLLIS formosissima</b> (Jacobæan Lily). Fire red,	75	4 00	
<b>ANEMONE nemorosa.</b> Flowers white. Coll.,	50	3 00	\$15 00
<b>Pennsylvanica.</b> Large white flowers,	50	3 00	
<b>pulsatilla.</b> 2 yrs.; large blue flowers,	1 00		
<b>Japonica.</b> Single; 1 yr. XX,	1 00	5 00	
<b>"Whirlwind."</b> Double white; 1 yr.,	1 00	5 00	
<b>ANTHEMIS tinctoria</b> (Golden Marguerite). 2 yrs.,	1 00	5 00	
<b>APIOS tuberosa</b> (Wild Bean). Purple flowers. Coll.,	25	1 00	8 00
<b>AQUILEGIA alpina.</b> 1 to 2 ft; flowers blue; 1 yr.,	1 00	4 00	
<b>cærulea.</b> 1 yr.; true,	1 00	5 00	
<b>chrysantha.</b> Large yellow; 1 yr.,	75	4 00	
<b>vulgaris.</b> 2 yrs.,	1 50		
<b>Canadensis.</b> Red and yellow,	1 00	4 00	
<b>Skinneri.</b> 1 yr.,	1 00		
<b>ARABIS albid.</b> 2 yrs.; white,	1 00	5 00	
<b>ARISÆMA triphyllum</b> (Wild Turnip),	50	3 00	
<b>ASARUM Canadensis</b> (Wild Ginger). Purple flowers,	50	3 00	15 00
<b>ASCLEPIAS incarnata.</b> Flowers purple, showy. Coll.,	50	3 00	
<b>tuberosa.</b> 2 yrs.,	75	4 00	
<b>ASTER ericoides.</b> Flowers white, on wand-like stems.			
Coll.,	75	4 00	15 00
<b>lævis.</b> Large dark blue flowers. Coll.,	75	4 00	
<b>multiflorus.</b> Small white flowers; fine. Coll.,	75	4 00	15 00
<b>Novæ Angliæ</b> (N. E. Aster). Large purple flowers. 2 yrs.,	1 00	5 00	
<b>patens.</b> Flowers deep purple; low growing. Coll.,	75	4 00	
<b>CALLIRRHÖE involucrata.</b> Flowers large, crimson, fine,	75	4 00	
<b>Cusickii.</b> 2 ft.; light blue, large bulbs,	1 50		
<b>CAMPANULA Carpatica.</b> 1 yr.; X,	1 00	4 00	
<b>alba.</b> 1 yr. X,	1 00	4 00	
<b>elegans—</b>			
2 ft.; 1 yr. Deep blue,	1 00	5 00	
2 yrs.,	1 50		
<b>medium</b> (Canterbury Bells). 1 yr.,	75	4 00	
<b>pyramidalis.</b> 1 yr.; X,	1 00	4 00	
<b>alba.</b> 1 yr.; X,	1 00	4 00	
<b>Van Houttei.</b> 1 yr.,	1 00	4 00	
<b>rotundifolia</b> (Harebell). Strong,	1 25	5 00	

	10	100	1,000
<b>CASSIA Marilandica</b> (American Senna) 3 ft., yellow, X,	\$1 00	\$4 00	
<b>CAULOPHYLLUM thalictroides</b> (Blue Cohosh),	75	4 00	
<b>CHELONE glabra</b> (Snake-Head). White flowers. Coll.	75	4 00	
<b>CHRYSANTHEMUM maximum</b> . 2 yr.,	1 00	5 00	
<b>CIMICIFUGA racemosa</b> (Black Snake-root). White flowers,	75	4 00	
<b>CLAYTONIA Virginica</b> (Spring Beauty),	50	3 00	
<b>CONVALLARIA majalis</b> (Lily of the Valley),	1 00	4 00	
<b>majalis</b> . Large fine clumps,	2 50	10 00	
<b>COPTIS trifolia</b> (Goldthread). Small white flowers,	75	3 00	
<b>COREOPSIS lanceolata</b> . 2 yr.,	1 00	5 00	
<b>CORNUS Canadensis</b> (Dwarf Cornel) Fine Clumps. Coll.,	1 25	5 00	
<b>DELPHINIUM grandiflorum</b> (Larkspur). Low growing, very beautiful. 2 yrs.,	1 00	4 00	
<b>grandiflorum</b> . Very large flowers,	1 00	4 00	
<b>formosum</b> . Tall, 4 to 6 ft. 2 yrs.	1 00	5 00	
<b>medicauis</b> (Red). 1 yr.,	1 00		
<b>DENTARIA diphylla</b> (Pepper Root),	50	3 00	
<b>laciniata</b> . Flowers pale purple,	75	4 00	
<b>DIANTHUS barbatus</b> (Sweet William). 1 yr.,	75	4 00	
<b>Napoleon III</b> . Bright crimson; 1 yr.,	1 25	5 00	
<b>plumarius</b> . 1 yr.,	75	4 00	
<b>Double Pink</b> . Fine; 1 yr.,	75		
<b>Single Pink</b> . 1 yr.,	75		
<b>Her Majesty</b> . 1 yr.,	75	4 00	
<b>Mrs. Simkins</b> . 1 yr.,	75	4 00	
<b>DICENTRA eximia</b> . Beautiful flowers; large; 2 yrs.; X,	1 00	5 00	
<b>DIGITALIS purpurea</b> (Foxglove). 1 yr.,	75	4 00	
<b>DODECATHEON Meadia</b> (Shooting Star). Fine plants,	1 00	5 00	
<b>EPIGÆA repens</b> (Trailing Arbutus). Fine plants. Coll.,	1 00	5 00	
<b>ERYTHRONIUM Americanum</b> (Dog's Tooth Violet)—Bright yellow flowers; large bulbs. Coll.,	75	4 00	
<b>EUPATORIUM ageratoides</b> (White Snakeroot). Coll.,	50	3 00	\$15 00
<b>EUPHORBIA corollata</b> (Flowering Spurge). Fine; white,	50	3 00	15 00
<b>GAILLARDIA grandiflora</b> . 1 yr.,	75	4 00	
<b>Loeseli</b> . 2 yrs.,	1 00	5 00	
<b>GALAXaphylla</b> . Evergreen; tinted leaves; white flowers,	1 00	5 00	

### "MIELLEZ'S REVELATION" IN LILY OF THE VALLEY.

It is of extraordinary size and vigor, of the most exquisite fragrance, and does well under all conditions and in all sorts of soils, growing just as well in full sun as partial shade. It is extremely hardy, and while not increasing quite as fast as the common kinds, is still of good increase. It is well to cover it in December with a good coat of barnyard manure—cow or horse—green is just as good as old. Leave it in the spring to serve as mulch. The Massachusetts Horticultural Society awarded it a "First-Class Certificate of Merit" on May 22, 1897. \$1 per 10, \$5 per 100.

	10	100	1,000
<b>GAULTHERIA procumbens</b> (Wintergreen)—			
Clumps. Coll., . . . . .	1 00	5 00	
<b>GENTIANA Andrewsii</b> (Closed Gentian). Dark blue,	1 00	5 00	
<b>crinita</b> (Fringed Gentian). Nursery grown,	1 50		
<b>verticillata</b> . 1 ft.; dry soils, . . . . .	1 00		
<b>GERANIUM maculatum</b> (Crane's-bill). Coll., . . . . .	50	3 00	
<b>GIRARDIA hybrida</b> . 2 yrs.; great bloomer, . . . . .	1 00	5 00	
<b>GYPSOPHILA paniculata</b> . 2 yrs., . . . . .	1 00	5 00	
<b>HEPATICA triloba</b> . Round leaved; flowers early. Coll.,	75	3 00	
<b>alba</b> . White, . . . . .	1 25		
<b>HELENIUM autumnale</b> . 2 yrs., . . . . .	1 00		
<b>HEMEROCALLIS flava</b> . Clumps; strong, . . . . .	1 50	8 00	
<b>HEUCHERA sanguinea</b> —			
Fire-red; large; 1 yr., . . . . .	1 00	5 00	
2 yrs., . . . . .	1 50	8 00	
<b>HIBISCUS Moscheutos rosea</b> —			
Flowers large, rose-colored; 2 yrs., . . . . .	1 00	5 00	
<b>Crimson Eye</b> —			
Flowers pure white, crimson eye; 1 yr.,	1 00	5 00	
<b>HOLLYHOCKS, Double</b> . Pink, salmon, white, crim-			
son and mixed; 1 yr., . . . . .	75	4 00	
<b>Allegheny</b> . Mammoth, mixed, . . . . .	75	4 00	
<b>HOUSTONIA cœrulea</b> (Bluets)—			
White and purple; tufts. Coll., . . . . .	25	2 00	
<b>purpurea</b> . Waxy white flowers; clumps,	75	4 00	
<b>HYACINTHUS candicans</b> . Large bulbs, . . . . .	75	4 00	
<b>HYDRASTIS Canadensis</b> (Orange Root). Rare, . . . . .	75	4 00	
<b>IBERIS sempervirens</b> . 2 yrs., . . . . .	1 00	5 00	
<b>IRIS cristata</b> . Light blue flowers; 6 in.; XX,	1 00	5 00	
<b>pumila</b> (Dwarf Iris)—			
Purple flowers; early; 3 to 6 in.; 2 yrs., . . . . .	1 00	5 00	
<b>alba</b> . 2 yrs., . . . . .	1 00	5 00	
<b>azurea</b> . Blue; 2 yrs., . . . . .	1 00	5 00	
<b>sulphurea</b> . 2 yrs., . . . . .	1 00	5 00	
<b>Siberica</b> . Dark blue or white: 1 to 3 ft.; clumps,	1 00	5 00	
<b>verna</b> . Crested yellow: low growing, . . . . .	1 00	5 00	
<b>versicolor</b> . Large blue flowers; 1 to 2 ft. Coll.,	50	3 00	15 00
<b>Virginica</b> . Slender; flowers blue and white; 1 ft.,	50	3 00	
<b>Germanica</b> (German Iris). In mixed colors; clumps,	40	1 50	
<b>Kämpferi</b> (Japan Iris). Named sorts; XX, . . . . .	1 50	10 00	
<b>LATHYRUS latifolius</b> . 3 yrs., . . . . .	1 50		
<b>LIATRIS graminifolia</b> . Coll., . . . . .	75	4 00	
<b>pycnostachya</b> (Kansas Gay Feather). Fine,	1 00	5 00	
<b>scariosa</b> (Button Snakeroot). 2 to 5 ft., . . . . .	1 00	5 00	
<b>spicata</b> (Spiked Blazing Star), . . . . .	1 00	5 00	
<b>LILIUM auratum</b> . Home grown, . . . . .	1 25		
<b>chaledonicum</b> . Scarlet, . . . . .	3 00		
<b>Brownii</b> , . . . . .	3 00		
<b>Canadense</b> . Nice bulbs, . . . . .	75	4 00	
<b>concolor</b> , . . . . .	75	4 00	
<b>Humboldtii</b> . 3 to 6 ft.; reddish orange flowers,	2 00	12 00	
<b>Martagon</b> , . . . . .	1 25	5 00	
<b>Pomponium rubrum</b> , . . . . .	2 00		
<b>Philadelphicum</b> (Wild Orange-Red Lily), . . . . .	75	4 00	
<b>superbum</b> . Tall; 4 to 8 ft.; many flowers; XX,	1 00	5 00	
<b>tenuifolium</b> . Fine bulbs, . . . . .	1 50	7 00	
<b>Wallacei</b> , . . . . .	75		
<b>LINUM Austriacum</b> , 1 yr., . . . . .	75	4 00	
<b>LOBELIA cardinalis</b> (Cardinal Flower). Flowers red.			
Coll., . . . . .	75	3 00	
<b>syphilitica</b> (Great Blue Lobelia). Fine plants,	75	3 00	
<b>LUPINUS perennis</b> (Wild Lupine). Coll., . . . . .	50	3 00	
<b>LYCHNIS Haageana</b> . Scarlet; 1 yr., . . . . .	75	4 00	
<b>chaledonica</b> . 2 yrs., . . . . .	1 00	5 00	
<b>viscaria splendens</b> (Ragged Robin). 2 yrs.,	1 00	5 00	

	10	100	1,000
<b>LYTHRUM roseum superbum.</b> 2 yrs.; fine, . . . . .	\$1 00	\$5 00	
<b>LYSIMACHIA nummularia</b> (Creeping Jenny). Coll., . . . . .	25	2 00	\$8 00
<b>MERTENSIA Virginica</b> (Virginia Cowslip). Established, . . . . .	1 00	5 00	
<b>MITCHELLA repens</b> (Partridge Berry) Clumps. Coll., . . . . .	1 00	4 00	25 00
<b>MITELLA diphylla</b> (Bishop's Cap). Nice for rockery, . . . . .	50	3 00	
<b>MONARDA didyma.</b> Bright red flowers, . . . . .	75	4 00	
<b>MYOSOTIS palustris</b> (Forget-Me-Not). Flowering plants, . . . . .	50	3 00	
<b>NARCISSUS Poeticus</b> (Poet's Narcissus). Fine bulbs, . . . . .	50	3 00	10 00
<b>OENOTHIRA fruticosa major.</b> 2 yrs.; large, yellow, . . . . .	1 00	5 00	
<b>speciosa.</b> 2 yrs.; white, . . . . .	1 00		
<b>OXALIS acetosella.</b> White flowers; purple veins, . . . . .	50	3 00	
<b>violacea.</b> Flowers pink; fine dark foliage, . . . . .	50	3 00	
<b>PAEONIA sinensis rosea.</b> Clumps, . . . . .	2 00	10 00	
white; Clumps, . . . . .	2 00	10 00	
red; Clumps, . . . . .	2 00	10 00	
<b>PARNASSIA Caroliniana.</b> Large white flowers. Coll., . . . . .	50	3 00	15 00
<b>PENTSTIMON glabra.</b> 1 yr., . . . . .	1 00	4 00	
<b>PHLOX reptans.</b> Red, . . . . .	\$1 00	\$4 00	
<b>divaricata.</b> Blue, . . . . .	1 00	4 00	
<b>subulata</b> (Moss Pink), . . . . .	75	4 00	
<b>alba.</b> Pure white, . . . . .	75	4 00	
<b>PHLOX HYBRID (dicussata).</b> Mixed, 1 yr., . . . . .	75	3 00	
2 yrs., . . . . .	1 25	5 00	
<b>PODOPHYLLUM peltatum</b> (Mandrake), . . . . .	1 00		
<b>POLYGALA paucifolia</b> (Fringed Polygala). Coll. clumps, . . . . .	1 00		
<b>PYRETHRUM uliginosum</b> (Great Ox-eye Daisy)—			
XX; 3 yrs., . . . . .	1 25	5 00	
<b>roseum hybridum,</b> . . . . .	1 00		
<b>PRIMULA auricula.</b> 2 yrs., . . . . .	1 00	5 00	
<b>veris.</b> Mixed. 2 yrs., X, . . . . .	1 00	5 00	
<b>vulgaris.</b> 2 yrs.; X, . . . . .	1 00	5 00	
<b>RHEUM Collinianum.</b> 2 yrs., . . . . .	1 00	5 00	
<b>RHEXIA Virginica</b> (Meadow Beauty), . . . . .	75	3 00	
<b>RUDBECKIA lanceolata</b> (Golden Glow). Clumps; XX, . . . . .	1 00	5 00	
<b>SANGUINARIA Canadensis</b> (Blood Root). Coll., . . . . .	50	3 00	
<b>SEDUM acre.</b> Yellow flowers, . . . . .	50	3 00	
<b>SHORTIA galacifolia.</b> XX, . . . . .	1 50	7 00	
<b>SILENE Virginica</b> (Fire Pink). XX, . . . . .	1 00	5 00	
<b>SAPONARIA ocymoides.</b> 2 yrs., . . . . .	75	4 00	
<b>SOLIDAGO odora</b> (Sweet Goldenrod). Very desirable			
for open places, especially near the sea, . . . . .	1 00	5 00	
<b>SPIRÆA lobata.</b> 3 to 4 ft.; clumps; XX, . . . . .	1 50		
<b>Japonica.</b> Strong clumps, . . . . .	1 25	6 00	
<b>SHASTA Daisy.</b> 2 yrs., . . . . .	1 00		
<b>STREPTOPUS roseus</b> (Twisted Stalk)—			
Small rose flowers, . . . . .	1 00	4 00	
<b>THALICTRUM anemonoides</b> (Rue Anemone)—			
9 in.; white, . . . . .	75	3 00	
<b>dioicum.</b> 1 to 2 ft.; purple flowers;			
desirable, . . . . .	75	4 00	
<b>cornuti</b> (Tall Meadow Rue)—			
4 to 8 ft.; white flowers, . . . . .	75	4 00	
<b>TIARELLA cordifolia.</b> 6 in.; small white flowers, . . . . .	50	3 00	
<b>TRADESCANTIA Virginica</b> (Spiderwort). Flowers			
blue, . . . . .	75	4 00	

## PANSY PLANTS.

20 ets. per doz., \$1.00 per 100, \$7.00 per 1,000.

Transplanted and grown in open ground in nursery rows. Extra fine strain in named sorts.

	10	100	1,000
<b>TRILLIUM cernuum.</b> Nodding white flowers; 1 ft.,	\$0 75	\$4 00	
<b>grandiflorum.</b> Pure white flowering bulbs,	50	2 00	\$12 00
<b>erectum.</b> Dark purple flowers; fine bulbs,	75	3 00	
var. <b>album.</b> Greenish white flowers,	1 00	4 00	
<b>nivale.</b> 4 to 12 in.; early; small white			
flowers,	1 00	4 00	
<b>recurvatum.</b> Leaves spotted; purple flowers,	1 00	4 00	
<b>sessile.</b> Flowers dark purple; desirable,	1 00	4 00	
var. <b>Californicum.</b> Large white flowers,	1 25	5 00	
<b>erythrocarpum</b> (Painted Trillium). Coll.,	1 00	4 00	
<b>TROLLIUS laxus</b> (Globe Flower). Large yellow flowers,	1 00		
<b>UVULARIA grandiflora</b> (Large Bellwort). Yellow			
flowers,	50	3 00	15 00
<b>perfoliata.</b> Smaller than the last,	50	3 00	15 00
<b>sessilifolia.</b> Sessile leaves; pretty,	50	3 00	15 00
<b>VANCOUVERIA hexandra.</b> Wheel-shaped white flow-			
ers; 1 ft.; a very desirable bed-			
ding plant,	1 25		
<b>VERNONIA noveboracensis</b> (Iron Weed). 3 to 5 ft.;			
purple flowers in small heads,	1 00	5 00	
<b>VIOLA Canadensis.</b> White and purple flowers,	75	4 00	
<b>English Violet Czar.</b> Hardy double; very			
sweet,	1 00		
<b>California Violet.</b>	1 00		
<b>pubescens.</b> Flowers yellow; dry soils. Coll.,	1 00	4 00	
<b>rotundifolia.</b> Flowers yellow; moist soils.			
Coll.,	75	4 00	
<b>blanda</b> (Sweet White Violet). Wet open places,	75	4 00	
<b>canina</b> , var. <b>sylvestris</b> (Dog Violet)—			
Blue. Coll.,	75	4 00	10 00
<b> cuculata.</b>	75	4 00	
<b>pedata</b> (Bird's Foot Violet). Large blue flowers;			
delights in a sandy soil; clumps,	1 00	4 00	
var. <b>bicolor.</b> Beautiful flowers,	1 00	4 00	
<b>VINCA minor</b> (Common periwinkle). Nursery-grown,	75	3 00	20 00
var. <b>alba.</b> Pure white flowers; fine,	75	4 00	

## BOG AND AQUATIC PLANTS.

	10	100	1,000
<b>ACORUS Calamus</b> (Sweet Flag). 2 ft. Coll.,	\$0 75	\$3 00	\$15 00
<b>variegatus.</b> Leaves striped with white,	1 25		
<b>BRASENIA peltata.</b> Small floating leaves; water. Coll.,	75	3 00	15 00
<b>CALLA palustris</b> (American Calla). Fine for bog. Coll.,	50	2 00	
<b>CALTHA palustris.</b> Large yellow flowers; bog or			
garden,	75	3 00	
<b>DIONÆA muscipula</b> (Venus' Fly Trap). Flowers white,	1 00	4 00	
<b>DROSERA filiformis</b> (Thread-Leaved Sundew). Neat,	50	3 00	
<b>longifolia.</b> Small white flowers; bog,	50	3 00	
<b>rotundifolia.</b> Round leaves; bog,	50	3 00	
<b>HELONIAS bullata</b> (Stud Flower). Beautiful pink			
flowers,	1 00	5 00	
<b>LIMNANTHEMUM lacunosum</b> (Floating Heart)—			
Water. Coll.,	75	4 00	
<b>MENYANTHES trifoliata</b> (Buck Bean). Coll.,	50	3 00	15 00
<b>NASTURTIUM officinale</b> (True Water Cress). Coll.,	50	2 00	10 00
<b>NESÆA verticillata.</b> A fine water shrub. Coll.,	75	4 00	15 00
<b>NUPHAR advena</b> (Common Yellow Lily). Large roots.			
Coll.,	1 00	5 00	
<b>NYMPHÆA odorata</b> (White Water Lily). Large roots.			
Coll.,	1 00	5 00	30 00
<b>minor.</b> Smaller flowers. Coll.,	1 00	5 00	
<b>ORONTIUM aquaticum.</b> Small plants; velvety leaves.			
Coll.,	75	4 00	

	10	100	1,000
<b>PELTANDRA Virginica</b> (Water Arum). A fine water plant, . . . . .	\$1 00	\$5 00	
<b>PONTEDERIA cordata</b> . Spikes of blue flowers in water. Coll., . . . . .	1 00	5 00	
<b>SARRACENIA purpurea</b> (Pitcher Plant). Red flowers. Coll., . . . . .	75	3 00	
<b>flava</b> (Trumpet Leaf). Flowers yellow; large plants, . . . . .	1 00	5 00	
<b>Drummondii</b> . Flowers purple; leaves 1 to 2 ft., . . . . .	2 00	10 00	
<b>Psittacina</b> . (Parrot-Beaked Pitcher Plant). Flowers purple, . . . . .	2 00	10 00	
<b>rubra</b> (Red-Flowered Trumpet Leaf). Fine; clumps, . . . . .	1 50	6 00	
<b>variolaris</b> . Spotted-leaved; flowers yellow, . . . . .	1 50	6 00	
<b>TYPHA latifolia</b> (Cat-Tail). 2 to 4 ft. Coll., . . . . .	75	4 00	
<b>VACCINIUM macrocarpon</b> (American Cranberry). Coll., . . . . .	25	1 50	\$5 00

### SHRUBS DESIRABLE FOR THE BOG GARDEN.

<b>Andromeda polifolia</b> . 1 ft.	<b>Ledum latifolium</b> . 2 ft.
<b>Azalea viscosa</b> . 4 to 10 ft.	<b>Nemopanthes Canadensis</b> . 4 ft.
<b>Cassandra calyculata</b> . 1 ft.	<b>Nesaea verticillata</b> . 2 ft.
<b>Cephalanthus occidentalis</b> . 4 ft.	<b>Pyrus arbutifolia</b> . 5 ft.
<b>Ilex verticillata</b> . 3 ft.	<b>Rhodora Canadensis</b> . 1 ft.
<b>Kalmia angustifolia</b> . 1 ft.	<b>Vaccinium stramineum</b> . 3 ft.
<b>glauca</b> . 2 ft.	<b>corymbosum</b> . 5 to 10 ft.

## ORCHIDS.

I offer in the following list of Orchids the greater share of the most desirable for cultivation found in the United States. Most of them are taken from their native habitat and transplanted into soil best adapted for their growth.

<b>Aplectrum hyemale</b> . Fine for moist shades, . . . . .	\$1 00	\$5 00	
<b>Calopogon pulchellus</b> . Desirable for the bog. Coll., . . . . .	50	3 00	
<b>Calypso borealis</b> . Showy pink flowers; damp shades, Coll., . . . . .	1 00	5 00	
<b>Cypripedium acaule</b> (Red Lady Slipper). Dry shades, . . . . .	1 00	5 00	
<b>Californicum</b> , . . . . .	3 00	15 00	
<b>candidum</b> , . . . . .	2 00	10 00	
<b>fasciculatum</b> , . . . . .	3 00	15 00	
<b>montanum</b> , . . . . .	1 25	6 00	
<b>pubescens</b> (Large Yellow). Fine, . . . . .	1 25	7 00	
<b>spectabile</b> —			
1-4 crown, . . . . .	2 00	8 00	
4-6 crown, X, . . . . .	3 00	12 00	
6-8 crown, XX, . . . . .	4 00		
<b>Goodyera Menziesii</b> . Flowers white, leaves spotted. Coll., . . . . .	1 00	5 00	
<b>pubescens</b> . Good stock. Coll., . . . . .	50	3 00	15 00
<b>repens</b> , . . . . .	1 00		
<b>Habenaria blepharoglottis</b> (White-Fringed Orchid), . . . . .	1 50		
<b>ciliaris</b> . Beautifully fringed; yellow, . . . . .	1 25	6 00	
<b>Hookeri</b> . Flowers greenish, . . . . .	1 25	5 00	
<b>psychodes</b> . Purple fringed, . . . . .	1 25	6 00	
<b>Liparis liliifolia</b> . 4 in. Purplish flowers; moist shades, . . . . .	75	4 00	
<b>Læselii</b> . Flowers greenish yellow; wet soils, . . . . .	75	4 00	
<b>Orchis spectabilis</b> (Showy Orchid). Pink-purple flowers, . . . . .	1 00	5 00	
<b>Pogonia ophioglossoides</b> . A bog plant with pale rose flowers, . . . . .	75	4 00	15 00
<b>Spiranthes cernua</b> (Ladies' Tresses). Flowers white, . . . . .	50	3 00	



FERN BOWER AT THE GILLET NURSERIES.

## FERNS.

The Ferns of New England are among the most charming of our *hardy perennials*. They are so easily grown that every park or yard may have them. If you wish to beautify a dark nook shut in by buildings or trees, where flowers will not thrive, try a few ferns and note the change. You can select from my list of about 40 kinds those suited for almost any situation that will sustain plant life.

	10	100	1,000
<b>Adiantum pedatum</b> (Maidenhair). Graceful; clumps,	\$0 75	\$4 00	\$25 00
<b>Aspidium acrostichoides</b> (Christmas Fern). Evergreen,	50	3 00	15 00
<b>aculatum</b> , var. <b>Braunii</b> , Evergreen. 1 to 2 ft.,	1 25	6 00	
<b>Boottii</b> . Intermediate between <i>A. cristatum</i>			
and <i>A. spinulosum</i> ,	1 25	6 00	
<b>cristatum</b> . A low evergreen; moist shades,	75	4 00	
var. <b>Clintonianum</b> . Much larger,	1 00	5 00	
<b>Filix-mas</b> (Male Fern). Beautiful and rare,	1 25	7 00	
<b>Goldianum</b> . Broad, light green fronds. 2			
to 4 ft.,	1 25	7 00	
<b>marginale</b> . Dark evergreen; rocky places,	75	3 00	
<b>munitum</b> . An evergreen from Oregon,	1 50	7 00	
<b>Noveboracense</b> . Moist, shady places,	75	4 00	
<b>spinulosum</b> . A finely cut evergreen,	75	4 00	20 00
var. <b>dilatatum</b> . Broad fronds,	1 25	6 00	
<b>Thelypteris</b> . Wet, open places; 1 ft.,	75	4 00	
<b>Asplenium angustifolium</b> . Rich shades. 1 to 3 ft.,	1 00	5 00	
<b>ebeneum</b> . Rocky places; dark stripes; 6			
to 12 in.,	50	3 00	15 00
<b>Filix-femina</b> . Fine tall fern; easily grown,	75	4 00	15 00
<b>thelypteroides</b> ,	75	4 00	
<b>Trichomanes</b> . Evergreen; in tufts: 3 to			
6 in.,	50	3 00	
<b>Botrychium ternatum dissectum</b> . Fine cut leaves.			
Coll.,	75	4 00	
<b>obliquum</b> . Oblique-leaved. Coll.,	75	4 00	
<b>Virginicum</b> . Light green; shades; 6 to			
12 in.,	75	4 00	
<b>Camptosorus rhizophyllus</b> (Walking Leaf). Fine,	50	3 00	15 00
<b>Cheilanthes vestata</b> . Evergreen; south; 2 to 12 in.,	1 00	4 00	
<b>Cryptogramma acrostichoides</b> . Fine clumps; 4 to 8 in.,	1 25	5 00	
<b>Cystopteris bulbifera</b> . Bright green fern; moist soil,	50	3 00	
<b>fragilis</b> . Finely cut fronds; rocks,	50	3 00	15 00





CLUMP OF FERNS IN SHADY CORNER.

	10	100	1,000
<b>Dicksonia punctilobula.</b> Forms large patches; 2 to 3 ft.,	75	3 00	12 00
<b>Lygodium palmatum</b> (Climbing Fern). Climbing			
over bushes; 1 to 3 ft. Coll.,	1 25	5 00	
<b>Onoclea sensibilis</b> (Sensitive Fern). Wet soils; 1 to 2 ft.	50	3 00	15 00
<b>struthiopteris</b> (Ostrich Fern). Fine; 1 to 6 ft.,	1 25	6 00	12 00
<b>Ophioglossum vulgatum</b> (Adder's Tongue). Coll.,	75	4 00	
<b>Osmunda gracilis</b> (Flowering Fern). Large plants. Coll.,	1 00	5 00	
<b>Claytoniana.</b> Large clumps; 1 to 5 ft. Coll.,	1 00	5 00	
<b>Osmunda cinnamomea</b> (Cinnamon Fern)—			
1 to 6 ft. Coll.,	\$1 00	\$5 00	
<b>Pellaea atropurpurea</b> (Cliff Brake). Dry cliffs, X,	1 25	6 00	
<b>densa</b> (Oregon Cliff Brake). Clumps. Coll.,	1 00	5 00	
<b>gracilis.</b> Fine for rock garden. 2 to 6 in.,	1 00	5 00	
<b>Phegopteris Dryopteris</b> (Beech Fern). 6 to 10 in.			
Neat,	75	4 00	
<b>hexagonoptera</b> Broad fronds. 7 to 12 in.,	75	4 00	
<b>polypodoides.</b> Smaller and darker. 4 to			
8 in.,	75	4 00	
<b>Polypodium vulgare</b> (Polypody). Evergreen, on rocks.			
3 to 6 in.,	50	3 00	
<b>falcatum.</b> From Oregon. Graceful. 6			
to 15 in.,	1 25	5 00	
<b>Scolopendrium vulgare</b> (Hart's Tongue). Very rare.			
Clumps,	3 00		
<b>Woodsia ilvensis.</b> Dry, exposed rocks. Clumps,	1 00	5 00	
<b>obtusa.</b> Rocks. Neat. 6 to 12 in.,	75	4 00	
<b>Oregana.</b> Oregon. 2 to 8 in.,	1 00	5 00	
<b>Woodwardia angustifolia</b> (Chain Fern). Wet soils.			
Fine plants,	1 00	5 00	
<b>Virginica.</b> Wet soils. 2 to 3 ft. Coll.,	1 00	4 00	\$20 00

## Club Mosses.

	10	100	1,000
<b>Lycopodium dendroidum</b> (Ground Pine). Used exten-			
sively as Christmas green. 4 to 8 in.			
Coll.,	\$1 00	\$5 00	
<b>lucidulum</b> (Shining Club Moss). 3 to			
8 in. Coll.,	75	3 00	\$15 00

	10	100	1000
<b>Selaginella apus.</b> Light green creeper. Wet soils.			
Coll.,	\$0 50	\$3 00	\$15 00
<b>rupestris.</b> Little tufts, dry soils. 1 to 3 in.			
Coll.,	75	4 00	

## Special Collection of Ferns.

The following collection of Ferns are made up to help in selecting for special wants, and should go by express or freight.

### No. 1.—(\$3.00) For Open Sun Culture.

This collection is desirable for the open border and, all being rather tall, can be grown as single specimens or for massing with or without flowers.

6 Onoclea struthiopteris  
6 Osmunda Claytoniana,

24 Dicksonia punctilobula,  
6 Lygodium palmatum.

### No. 2.—(\$3.00) For Dry, Shady Places.

These Ferns will grow in a dry, shady place. Plant them where flowers as a rule do not thrive.

12 Aspidium acrostichoides,  
12 Aspidium marginale,

12 Dicksonia punctilobula,  
12 Osmunda Claytoniana.

### No. 3.—(3.00) For Moist, Shady Places.

This collection is very fine and easily handled in moist, shady places, also for large rockery.

6 Adiantum pedatum,  
6 Aspidium cristatum,  
6 Aspidium acrostichoides,  
6 Aspidium spinulosum,  
6 Aspidium marginale.

6 Asplenium thelypteroides,  
6 Asplenium Filix-femina,  
6 Phegopteris hexagonoptera,  
6 Woodwardia angustifolia,

### No. 4.—(\$3.00) For Wet, Open Ground.

These Ferns are very useful for border of a lake or low, wet ground.

12 Aspidium Thelypteris,  
12 Onoclea sensibilis,

12 Osmunda regalis,  
12 Woodwardia Virginica.

### No. 5.—(\$3.00) Low Evergreen Ferns for Rockery in Shade.

This is a beautiful collection of low-growing Ferns and easily managed.

12 Asplenium ebeneum,  
12 Asplenium Trichomanes,  
12 Comptosorus rhizophyllus.

12 Polypodium vulgare,  
6 Woodsia obtusa.

### No. 6.—(\$3.00.) Low Evergreen Ferns for Dry, Rocky Ledge.

12 Asplenium Trichomanes,  
12 Cheilanthes vestata,

12 Polypodium vulgare,  
12 Woodsia Ilvensis.

### One-Half Any One of the Above Collections for \$1.75.

You will notice that some kinds are named in more than one collection. Such seem to thrive equally well in the localities named.

Address,

EDWARD GILLETT,  
Southwick, Mass., U. S. A.